



# Shandong Chik Bearing Co., Ltd.

## INA 2919 thrust ball bearings



2919 Bearing 2D drawings and 3D CAD models

Bearing No. 2919

Size	95x130x25 mm
Bore Diameter	95 mm
Outer Diameter	130 mm
Width	25 mm
d	3,74 inch
d	95 mm
D	5,118 inch
D	130 mm
T	0,984 inch
T	25 mm
D <sub>1</sub>	95,199 mm
D <sub>1</sub>	3,748 inch
m	2,029 lbs / Weight
m	0,92 kg / Weight
C <sub>a</sub>	17800 lbf / Dynamic load rating (axial)
C <sub>a</sub>	79000 N / Dynamic load rating (axial)
C <sub>0a</sub>	51000 lbf / Static load rating (axial)
C <sub>0a</sub>	227000 N / Static load rating (axial)
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.102



## Shandong Chik Bearing Co., Ltd.

Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row   Deep Groove   Light Cross Section   Grooved Race   Separable   3 Piece Ball
Long Description	95MM Bore 1; 95.199MM Bore 2; 130MM Outside Diameter; 25MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1   ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	2919
Weight / LBS	2.029
Bore 2	3.748 Inch   95.199 Millimeter
Height	0.984 Inch   25 Millimeter
Outside Diameter	5.118 Inch   130 Millimeter
Bore 1	3.74 Inch   95 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter



# Shandong Chik Bearing Co., Ltd.